



2020 DRINKING WATER QUALITY REPORT

Public Water Supply Identification No. 2902817

The Bethpage Water District is pleased to present this year's Water Quality Report. The report is required to be delivered to all residents of our District as required by Federal and State regulations. We are happy to report that the District's supply water is in full compliance with all Federal, State and County regulations and that no violations exist.

Our constant goal is to provide you with a safe and dependable supply of drinking water every day. We also want you to understand the efforts the District takes to protect our water resources and continually improve the water quality treatment process.


WHERE DOES OUR WATER COME FROM?

The source of water for the District is groundwater pumped from nine (9) wells, however only eight (8) of these wells are used for production to the distribution system, located throughout the community that are drilled into the Magothy aquifer beneath Long Island, as shown on the adjacent figure. Generally, the water quality of the aquifer is marginal and there are localized areas of contamination. Well No. 4-1 is voluntarily held in reserve due to elevated radium levels near the drinking water standard.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants.

In order to ensure that our tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The population served by the Bethpage Water District during 2020 was 35,000. The total amount of water withdrawn from the aquifer in 2020 was 1.45 billion gallons, of which approximately 92 percent was billed directly to consumers. The remaining 8 percent of total pumpage was used for flushing, lost to system breaks and leaks, used for system testing and lost to inefficient water meter readings.



WATER TREATMENT

The Bethpage Water District provides treatment at all of its wells to improve the quality of the water pumped prior to distribution to the consumer. The pH of the pumped water is adjusted upward to reduce the corrosive action between the water and water mains and in-house plumbing by the addition of sodium hydroxide. The District also utilizes sodium hypochlorite for the purpose of disinfection and maintains a consistent chlorine residual as per Health Department guidelines.

In addition, specialized wellhead treatment is provided at specific plant sites as follows:

- Plant 1 (Well Nos. 7A & 8A) - Granular Activated Carbon (GAC)
- Plant 4 (Well Nos. 4-1 & 4-2) - Air Stripper & GAC
- Plant 5 (Well No. 5-1) - Air Stripper & GAC & Advanced Oxidation Process (AOP)
- Plant 6 (Well Nos. 6-1 & 6-2) - Air Stripper & GAC & Advanced Oxidation Process (AOP)
- Plant BGD (Well BGD-1) - Ion Exchange, GAC & Advanced Oxidation Process (AOP)

In accordance with State regulations, the Bethpage Water District routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic contaminants, lead and copper, nitrate, volatile organic contaminants, total trihalomethanes, radionuclides and synthetic organic contaminants. As listed in this report, over 135 separate parameters are tested for in each of our wells numerous times per year. The table presented on page 3 depicts which parameters or contaminants were detected in the water supply. It should be noted that many of these parameters are naturally found in all Long Island drinking water and do not pose any adverse health effects. Please be assured that your drinking water meets all Federal and State water quality standards.

We, at the Bethpage Water District, work around the clock to provide top quality water to every tap throughout the community. We ask that all our customers help us protect our water resources, which are the heart of our community, our way of life and our children's future. Please call our office if you have any questions.

WATER CONSERVATION MEASURES



The underground water system of Long Island has more than enough water for present water demands. However, saving water will ensure that our future generations will always have a safe and abundant water supply.

In 2020, the Bethpage Water District continued to implement a water conservation program in order to minimize any unnecessary water use. The pumpage for 2020 was approximately the same in 2019. This can be attributed to the District's water conservation plan.

Residents of the District can also implement their own water conservation measures such as retrofitting plumbing fixtures with flow restrictors, modifying automatic lawn sprinklers to include rain sensors, repairing leaks in the home, installing water conservation fixtures/appliances and maintaining a daily awareness of water conservation in their personal habits.

Consumers should be aware that Nassau County Lawn Sprinkler Regulations are still in effect. Besides protecting our precious underground water supply, water conservation will produce a cost savings to the consumer in terms of both water and energy bills (hot water).

SOURCE WATER ASSESSMENT

Back in 2003, the NYSDOH, with assistance from the local health department, has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. Please refer to section "Water Quality" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future.

Our drinking water is derived from eight (8) wells. The source water assessment has rated most of the wells as having a high susceptibility to nitrates and four (4) of the wells as having a very high susceptibility to industrial solvents. The very high susceptibility to industrial solvents is due primarily to point sources of contamination related to commercial/industrial activities in the assessment area. The high susceptibility of nitrate contamination is attributable to unsewered high density residential land use and related to practices in the assessment area, such as fertilizing lawns.

A copy of the assessment, including a map of the assessment area, can be reviewed by contacting the District Office.

CONTACTS FOR ADDITIONAL INFORMATION

We are pleased to report that our drinking water is safe and meets all Federal and State requirements. If you have any questions about this report or the Bethpage Water District, please contact Water District Superintendent Michael Boufis at (516) 931-0093 or the Nassau County Department of Health at (516) 227-9692. We want our valued customers to be informed about our water system. If you want to learn more, please attend any of our regularly scheduled meetings. They are normally held every other Thursday at 3:00 p.m. at the District office.

The Bethpage Water District routinely monitors for different parameters and possible contaminants in your drinking water as required by Federal and State laws. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some impurities. It's important to remember that the presence of

these impurities does not necessarily pose a health risk. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at (800-426-4791) or www.epa.gov/safewater.

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, and some elderly and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium*, *Giardia* and other microbial pathogens

CONTACTS FOR ADDITIONAL INFORMATION CONTINUED

are available from the Safe Drinking water Hotline (800-426-4791). It should be noted that Cryptosporidium and Giardia are primarily found in surface waters, not groundwater and our entire water supply is derived from groundwater.

During 2020, the District collected more than 34 samples for lead and copper. The next round of samples will occur in 2023. If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. Bethpage Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to

minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

Water from the Bethpage Water District has elevated levels of nitrates, but well below the maximum contamination level of 10.0 parts per million (ppm). Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six (6) months of age. High nitrate levels in drinking water can cause blue baby syndrome. The source of the nitrates is the nitrogen in fertilizers and from past on-site septic systems. If you are caring for an infant, you should ask advice from your health care provider.



2020 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS ⁽¹¹⁾

Contaminants	Violation (Yes/No)	Date of Sample	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Lead & Copper							
Copper	No	June - September 2020	0.0021 - 0.11 0.059 ⁽¹⁾	mg/l	1.3	AL = 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Lead	No	June - September 2020	ND - 3.3 ND ⁽¹⁾	ug/l	0	AL = 15	Corrosion of household plumbing systems; Erosion of natural deposits
Inorganic Contaminants							
Barium	No.	09/28/20	ND - 0.009	mg/l	2.0	MCL = 2.0	Naturally occurring
Sodium	No	05/06/20	5.8 - 20.3	mg/l	n/a	No MCL ⁽²⁾	Naturally occurring
Zinc	No	05/18/20	MD - 0.046	mg/l	n/a	MCL = 5	Naturally occurring
Chloride	No	05/18/20	5.1 - 13.6	mg/l	n/a	MCL = 250	Naturally occurring
Iron	No	09/28/20	ND - 34.0	ug/l	n/a	MCL = 300 ⁽³⁾	Naturally occurring
Nitrite	No	02/03/20	ND - 0.054	mg/l	1.0	MCL = 1.0	Runoff from fertilizer and leaching from septic tanks and sewage
Nitrate	No	10/02/20	1.9 - 8.9	mg/l	10.0	MCL = 10	Runoff from fertilizer and leaching from septic tanks and sewage
Sulfate	No	09/28/20	ND - 6.7	mg/l	n/a	MCL = 250	Naturally occurring
Magnesium	No	05/18/20	0.65 - 2.1	mg/l	n/a	No MCL	Naturally occurring
Calcium	No	05/18/20	1.8 - 5.5	mg/l	n/a	No MCL	Naturally occurring
Nickel	No	05/18/20	0.0015 - 0.0052	ug/l	n/a	MCL = 100	Naturally occurring
pH	No	05/06/20	7.9 - 8.3	Units	n/a	No MCL	Naturally occurring
Perchlorate	No	06/01/20	ND - 5.6	ug/l	n/a	AL = 18 ⁽⁴⁾	Fertilizers
Volatile Organic Contaminants							
1,1-Dichloroethane	No	04/01/20	ND - 1.8	ug/l	0	MCL = 5	Industrial/Commercial discharge
1,1-Dichloroethene	No	08/03/20	ND - 0.62	ug/l	0	MCL = 5	Industrial/Commercial discharge
Disinfection By-Products							
Total Trihalomethanes (THMs)	No	04/0/20	ND - 3.3	ug/l	n/a	MCL = 80	Disinfection By-Products
Unregulated Contaminant Monitoring Rule UCMR4⁽⁷⁾							
1-butanol	No	01/28/18	2.3 - 2.6	ug/l	n/a	No MCL	Industrial discharge - alcohol used as a solvent
Manganese	No	07/05/18	0.41 - 10.6	ug/l	n/a	MCL = 300 ⁽⁵⁾	Naturally occurring
HAA5	No	01/22/18	0 - 4.6	ug/l	n/a	MCL = 60	Disinfection By-Product
HAA6Br	No	01/22/18	0 - 0.42	ug/l	n/a	No MCL	Disinfection By-Product

2020 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS ⁽¹¹⁾ CONTINUED

HAA9	No	01/22/18	0 - 4.6	ug/l	n/a	No MCL	Disinfection By-Product
Radionuclides							
Gross Alpha	No	01/18/18	0 - 3.44	pCi/L	n/a	MCL = 15	Naturally occurring or industrial discharge
Gross Beta	No	06/12/19	0.52 - 3.78	pCi/L	n/a	MCL = 50	Naturally occurring or industrial discharge
Radium 226 & 228 Combined	No	04/01/20	0 - 3.35	pCi/L	n/a	MCL = 5 ⁽⁶⁾	Naturally occurring or industrial discharge
Uranium	No	01/18/18	0 - 0.12	ug/l	n/a	MCL = 30	Naturally occurring or industrial discharge
Disinfectant							
Chlorine Residual	No	10/13/20	0.5 - 1.25	mg/l	n/a	MRDL = 4.0	Measure of disinfectant
Physical Characteristics							
pH	No	05/06/20	7.9 - 8.3	pH units	n/a	7.5 - 8.5 ⁽⁷⁾	Measure of water acidity or alkalinity
Total Alkalinity	No	05/18/20	ND - 1.6	mg/l	n/a	No MCL	Naturally occurring
Total Hardness	No	05/18/20	7.1 - 22.3	mg/l	n/a	No MCL	Naturally occurring
Calcium Hardness	No	05/18/20	3.8 - 13.7	mg/l	n/a	No MCL	Naturally occurring
Total Dissolved Solids	No	05/18/20	25.0 - 82.0	mg/l	n/a	No MCL	Naturally occurring
Synthetic Organic Contaminants (SOCs)							

Definitions:

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfection Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Definitions Continued

Maximum Residual Disinfection Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Health Advisory (HA) - An estimate of acceptable drinking water levels for a chemical substance based on health effects information; a health advisory is not a legally enforceable Federal standard, but serves as technical guidance to assist Federal, State and local officials.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Milligrams per liter (mg/l) - Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l) - Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Nephelometric Turbidity Unit (NTU) - Signifies that the instrument is measuring scattered light from the sample at a 90-degree angle from the incident light.

Non-Detects (ND) - Laboratory analysis indicates that the constituent is not present.

pCi/L - pico Curies per Liter is a measure of radioactivity in water.

⁽¹⁾ - During 2020, we collected and analyzed 34 samples for lead and copper. The 90% percentile level is presented in the table. The action levels for both lead and copper were not exceeded at any site tested. **90th Percentile Value:** The values reported for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system.

⁽²⁾ - No MCL has been established for sodium. However, 20 mg/l is a recommended guideline for people on high restricted sodium diets and 270 mg/l for those on moderate sodium diets.

⁽³⁾ - Iron is essential for maintaining good health. However, too much iron can cause adverse health effects. Drinking water with very large amounts of iron can cause nausea, vomiting, diarrhea, constipation and stomach pain. These effects usually diminish once the elevated iron exposure is stopped. A small number of people have a condition called hemochromatosis, in which the body absorbs and stores too much iron. People with hemochromatosis may be at greater risk for health effects resulting from too much iron in the body (sometimes called "iron overload") and should be aware of their overall iron intake. The New York State standard for iron in drinking water is 0.3 milligrams per liter, and is based on iron's effects on the taste, odor and color of the water.

⁽⁴⁾ - Perchlorate is an unregulated contaminant. However, the State Health Department has established an action level of 18 ug/l.

⁽⁵⁾ - If iron and manganese are present, the total concentration of both should not exceed 500 ug/l.

⁽⁶⁾ - Combined Radium 226 and 228 has an MCL = 5.

⁽⁷⁾ - As per Nassau County Department of Health guidelines.

⁽⁸⁾ - 1,4-Dioxane -The New York State (NYS) has established an MCL for 1,4 dioxane at 1 part per billion(ppb) effective August 26, 2020.

⁽⁹⁾ - It is used as a solvent for cellulose formulations, resins, oils, waxes and other organic substances. It is also used in wood pulping, textile processing, degreasing, in lacquers, paints, varnishes, and stains; and in paint and varnish removers.

⁽¹⁰⁾ - The US Environmental Protection Agency (EPA) has established a life time health advisory level (HAL) of 70 parts per trillion (ppt) for PFOA and PFOS combined.

The New York State (NYS) established a maximum contaminant level (MCL) at 10 ppt for PFOA and 10 ppt for PFOS effective August 2020.

⁽¹¹⁾ - Copies of the Supplemental Data Package, which includes the water quality data for each of our supply wells utilized during 2020, are available at the Bethpage Water District office which is located at 25 Adams Avenue, Bethpage, New York and at the Bethpage Public Library.

COST OF WATER

The District utilizes a step billing schedule as shown in the table. The average consumer is being billed at \$1.25 per 1,000 gallons of water used. That's 8 gallons for one penny!!

Step Schedule of Water Rates (per quarter)

Consumption (gallons)	Charges
Minimum Charge	\$12.50
Up to 10,000	\$1.25/thousand gallons
11,000 - 25,000	\$1.75/thousand gallons
26,000 - 45,000	\$2.00/thousand gallons
46,000 - 60,000	\$2.25/thousand gallons
61,000 - 80,000	\$2.85/thousand gallons
Over 80,000	\$3.15/thousand gallons

WATER SYSTEM IMPROVEMENT

The District continuously evaluates its infrastructure to determine what improvements need to be made.

The District completed the construction of several AOP (Advanced Oxidation Process) treatment systems at Plant Nos. 5, 6 and Plant Well BGD-1.

The Bethpage Water District conducts over 10,000 water quality tests throughout the year, testing for over 135 different parameters in our water supply including, but not limited to, the list on this sheet:

1,2-Dichloroethene	Arsenic	Dicamba	Nitrite
1,1-Dichloropropene	Atrazine	Dichloroacetic Acid	Nitrogen,
1,1,1-Trichloroethane	Benzene	Dichlorodifluoromethane	Ammonia
1,1,1,2-Tetrachloroethane	Beryllium	Dieldrin	O-Xylene
1,1,2-Trichloroethane	bis(2-Ethylhexyl)adipate	Dinoseb	Odor
1,1,2,2-Tetrachloroethane	bis(2-Ethylhexyl)phthalate	Dioxin	Oxamyl
1,2-Dibromo-3-Chl.Propane	Bromoacetic Acid	Diquat	Pentachlorophenol
1,2-Dibromoethane (EDB)	Bromobenzene	Endothall	Perfluorinated Compounds
1,2-Dichlorobenzene	Bromochloromethane	Endrin	Picloram
1,2-Dichloroethane	Bromodichloromethane	Ethylbenzene	Propachlor
1,2-Dichloropropane	Bromoform	Flouroide	Sec-Butylbenzene
1,2,3-Trichlorobenzene	Bromomethane	Benzo(A)pyrene	Selenium
1,2,3-Trichloropropane	Butachlor	Free Cyanide	Silver
1,2,4-Trimethylbenzene	Cadmium	Glyphosate	Simazine
1,2,4-Trichlorobenzene	Carbaryl	Heptachlor	Styrene
1,3-Dichlorobenzene	Carbofuran	Heptachlor Epoxide	Tert-Butylbenzene
1,3-Dichloropropane	Carbon Tetrachloride	Hexachlorobenzene	Tetrachloroethene
1,3,5-Trimethylbenzene	Chlordane	Hexachlorobutadiene	Toluene
1,4-Dichlorobenzene	Chloroacetic Acid	Hexachlorocyclopentadiene	Total Aldicarbs
1,4-Dioxane	Chlorobenzene	Isopropylbenzene (Cumene)	Total Haloacetic Acid
2-Chlorotoluene	Chlorodifluoromethane	Langlier Saturation Index LAS,	Total PCBs
2,2-Dichloropropane	Chloroethane	Lindane	Toxaphene Trans-
2,4-D 2,4,5-TP (Silvex)	Chloroform	M,P-Xylene	Thallium
3-Hydroxycarbofuran	Chloromethane	Manganese	Trans-1,3-Dichloropropene
4-Bromofluorobenzene	cis-1,2-Dichloroethene	Mercury	Trichloroacetic Acid
4-Chlorotoluene	cis-1,3-Dichloropropene	Methomyl	Trichloroethane (TCE)
4-Isopropyltoluene (P-Cumene)	Color	Methoxychlor	Trichlorofluoromethane
Alachlor	Corrosivity	Methyl Tert.Butyl Ether (MTBE)	Vinyl Chloride
Aldicarb	Cyanide	Methylene Chloride	
Aldicarb	Dalapon	Metolachlor	
Sulfone	Detergents (MBAs)	Metribuzin	
Aldicarb/sulfoxide	Dibromoacetic Acid	Molecular Weight	
Aldrin	Dibromochloromethane	N-Butylbenzene	
Antimony	Dibromomethane	N-Propylbenzene	



Presort
Standard
U.S. POSTAGE
PAID
PERMIT No. 50
Bethpage, NY

Bethpage Water District

25 Adams Avenue
Bethpage, New York 11714-1304

Board of Water Commissioners

John F. Coumatos
Theresa M. Black
Scott A. Greco

Michael J. Boufis, Superintendent

Hours: 8:00 a.m. to 4:00 p.m., weekdays
24-Hour Emergency Number: (516) 931-0093

www.bethpagewater.com